


Multifamily





SANDSTONE™ II - Gentle Gray



VINTAGEBRICK™ - Alexandria Buff



SIERRA PREMIUM™ Shake Plus



CINDERSTONE™ - Field Gray, VINTAGEBRICK™ - White Wash



NEWPORTBRICK™ - Red-Buff



SIERRA PREMIUM™ Shake Plus

Lower Installed Cost... Product Performance... Design Flexibility...

Nichiha fiber cement products combine a high level of quality with a low cost of installation, making a significant difference to the bottom line. Nichiha Brick, Stone & Block panels and Sierra Premium™ Shake and Smooth boards are visually unmatched in texture, function and quality, offering unparalleled design options for building exteriors and signature interiors.

Build Better

- Nichiha fiber cement products can be installed over metal, wood, SIP and CMU substrates.
- Brick, Stone & Block panels are ship-lapped on four sides for a tight fit and seamless appearance.
- Brick, Stone & Block panels utilize our patented clip installation system, creating a pocket of air reducing moisture build up while enhancing substrate integrity.
- Fiber cement products will not crack, rot or delaminate and are resistant to fungus and termite infestation.

Nichiha Offers Multifamily Construction Tremendous Value.

Build Faster

- Utilize fewer subs as Brick, Stone & Block panels do not require special skills or tools to install.
- Brick, Stone & Block panels install 9 square feet at a time, reducing installation time.
- Sierra Premium™ ½ inch boards are 60% thicker providing less breakage during installation.

Warranties

- **Brick, Stone & Block Panels:** 50-year limited panel warranty and 15-year limited panel finish warranty.*
- **Sierra Premium™ Shake Plus & Smooth Boards:** Lifetime limited warranty.*
- Factory pre-finished in solid finishes:** 25-year warranty* on two-coat solid finish, 15-year warranty* on one-coat solid finish.

*See Nichiha warranties for terms, conditions and limitations. **Manufactured by Duckback, Inc., see manufacturer's warranties for terms, conditions and limitations.

BRICK PANELS

Canyon Brick™

Nominal - 18" (h) x 6" (l), 5/8" thick, 32 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 16mm thick



Amber Wheat


Burnt Copper



Shale Brown


Newport Brick™

Nominal - 18-3/8" (h) x 6" (l), 3/4" thick, 40.9 lbs. per panel
Actual - 467mm (h) x 1,829mm (l), 18mm thick



Red-Buff

Red-Red



Rose-Buff

Rose-Red

Vintage Brick™

Nominal - 18" (h) x 6" (l), 3/4" thick, 40.8 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 18mm thick



Alexandria Buff

Rustic Autumn



White Wash

Plymouth Brick™

Nominal - 18" (h) x 6" (l), 3/4" thick, 40.8 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 18mm thick



Crimson

STONE PANELS

Cut Stone™

Nominal - 18" (h) x 6" (l), 1" thick, 55 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 25mm thick



Quarry Beige

Cut Stone™ II



Quarry Beige



Quarry Bronze

Field Stone™

Nominal - 18" (h) x 6" (l), 5/8" thick, 32 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 16mm thick




Bronze Mist



Dusted Copper

Quarry Stone™

Nominal - 18" (h) x 6" (l), 5/8" thick, 32 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 16mm thick



Desert Slate



Gray Mist



Pepper Sand



Speckled Brown

Sand Stone™ II

Nominal - 18" (h) x 6" (l), 3/4" thick, 41.8 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 18mm thick



Autumn Brown



Desert Beige



Gentle Gray



Sedona

Kura Stone™

Nominal - 6" (h) x (available in 3 lengths): 25-5/8" (l), 15-3/8" (l), 10-1/4" (l), 1-3/8" thick, 8.46 lbs. per sq. ft.
Actual - 150mm (h) x (available in 3 lengths): 650mm (l), 390mm (l), 260mm (l)



Canyon



Desert



Mountain



Border Pieces



Inside Corner Pieces



Outside Corner Pieces



Wall Pieces

BLOCK PANELS

Architectural Block™ & Architectural Block™ - Large

Nominal - 18" (h) x 6" (l), 5/8" thick, 37.9 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 16mm thick



Gray



Sand

Cinder Stone™

Nominal - 18" (h) x 6" (l), 7/8" thick, 43.4 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 21mm thick



Canyon Brown



Field Gray

Illumination Series

Nominal - 18" (h) x 6" (l), 5/8" thick, 37.9 lbs. per panel
Actual - 455mm (h) x 1,818mm (l), 16mm thick



Oyster



Patina



Sienna



Storm



Umber



Custom

SPECIALTY PANELS

Timberland Panel™

Actual - 18" (h) x 10' (l), 5/8" thick, 52.2 lbs. per panel



Bark



Cedar

Empire Block™



Horizontal



Vertical

Sierra Premium™ Shake ^{plus}

Nominal - 9" (h) x 9' 4" (l), 1/2" thick,
22.1 lbs. per board; Actual - 2,865mm (l)



Primed

Sierra Premium™ Smooth

Nominal - 7" or 8-3/4" (h) x 10' (l), 1/2" thick
7" - 18 lbs. per panel, 8-3/4" - 22.5 lbs. per board
Actual - 3,030mm (l)










7" Profile
(shown lapped)



8-3/4" Profile
(shown lapped)

Brick, Stone, Block and Specialty Panel Installation Accessories



Silica Dust Warning: NICHHA products may contain some amounts of crystalline silica [a.k.a. sand, silicon dioxide], which is a naturally occurring mineral. The amount will vary from product to product. Inhalation of crystalline silica into the lungs and repeated exposure to silica can cause health disorders, such as silicosis, lung cancer, or death depending upon various factors. To be conservative, Nichiha recommends that whenever cutting, sawing, sanding, sniping or abrading the product, users observe the Safety Instructions above. For further information or questions, please consult the MSDS, your employer, or visit www.osha.gov/SLTC/silicacrystalline/index.html and www.cdc.gov/niosh/topics/silica. The MSDS for Nichiha products are available at www.nichiha.com, at your local Nichiha dealer or through Nichiha directly at 1.866.424.4421. FAILURE TO ADHERE TO OUR WARNINGS, MSDS, AND OTHER INSTRUCTION MAY LEAD TO SERIOUS PERSONAL INJURY OR DEATH.

ARCHITECTURALBLOCK, CANYONBRICK, CINDERSTONE, CUTSTONE, EMPIREBLOCK, FIBER CEMENT AT ITS BEST, FIELDSTONE, KURASTONE, NEWPORTBRICK, PLYMOUTHBRICK, QUARRYSTONE, SANDSTONE, SIERRA PREMIUM, TIMBERLANDPANEL and VINTAGEBRICK are trademarks of Nichiha USA, Inc.

NOTE: Printed material may not accurately depict actual product color. Please see nichiha.com for most current information.

©2011 Nichiha USA, Inc. All rights reserved. Printed in the USA. DG 03/11 6K NM-2000



Nichiha USA, Inc.
6659 Peachtree Industrial Blvd.
Suite AA, Norcross, GA 30092
Toll Free: 1.86 NICHHA 1,
(1.866.424.4421)
P. 770.805.9466
F. 770.805.9467
nichiha.com

Fiber Cement At Its Best™